



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/572,535	10/23/2006	Kristopher Poh Ming Laurent	1171/44808/167-PCT-US	2772

279 7590 09/10/2007
Trexler, Bushnell, Giangiorgi,
Blackstone & Marr, Ltd.
105 West Adams Street
Suite 3600
Chicago, IL 60603

EXAMINER

PATEL, DHIRUBHAI R

ART UNIT	PAPER NUMBER
----------	--------------

2831

MAIL DATE	DELIVERY MODE
-----------	---------------

09/10/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/572,535

Applicant(s)

LAURENT ET AL.

Examiner

DHIRU R. PATEL

Art Unit

2831

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 3/17/06 LRP
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 10-13 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 3/17/06, 6/15/06 LRP
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, said patient interface, electrical members, said electrical means, a gaseous connection recited in claim 10 must be shown or the feature(s) canceled from the claim(s). The examiner suggests showing reference number for said patient interface, electrical members, said electrical means and a gaseous connection. No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Note: the inventor is responsible to review remaining claims and make sure that all claimed subject matters are shown on the drawings.

2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: element number 24 on page 4 should be shown on the drawing. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

3. The disclosure is objected to because of the following informalities: On page 2 line 28, insert - - positive - - before " airway ".

Appropriate correction is required.

Claim Objections

4. Claims 10-13 are objected to because of the following informalities:

Art Unit: 2831

In claim 10 lines 2-3, the limitation " a patient in use by a patient " is confusing and unclear in light of the specification because it is not clear that what is a patient in use by a patient, the inventor should explain in details that what is a patient in use by a patient to understand the claimed subject matter.

In claim 10 line 4, " said patient interface" lack of antecedent basis.

In claim 10 lines 4-5, the limitation " electrical members extending within, through out or about them " is confusing and unclear in light of the specification because it is not clear that electrical members extending within what?, and what is thought out or about them?

In claim 10 line 7, " malt " should be - - male - - ?.

In claim 10 line 10, " said electrical means " lack of antecedent basis.

In claim 10 lines 11-12, the limitation " a gaseous connection " is confusing and unclear in light of the specification because it is not clear that how the gaseous connection being made with what?.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

5. Claims 10-13 are rejected under 35 U.S.C. § 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 10-13 are rejected under 35 U.S.C. 112, second paragraph, as being

incomplete for omitting essential structural cooperative relationships of elements, such omission amounting to a gap between the necessary structural connections. See MPEP § 2172.01. The omitted structural cooperative relationships are:

- a) relationship between a connector and a patient in use by a patient is missing.
- b) relationship between a connector and said patient interface is missing.
- c) relationship between a connector and electrical members is missing.
- d) relationship between a connector and a gaseous connection is missing.
- e) relationship between a connector and said electrical means is missing.

Allowable Subject Matter

6. Claims 10-13 would be allowable if rewritten or amended to overcome the drawing objections, the claim objections, 112 second paragraph and the specification objections.

The following is a statement of reasons for the indication of allowable subject matter:

The primary reasons for the indication of the allowability of claims 10-13 are the inclusion therein, in combination as currently claimed, of the limitation of said connector comprising a male portion and a female portion, said male portion having a first electrical contact on its exterior, said female portion having a second electrical contact on its interior.

The previous listed limitation is neither disclosed nor taught by the prior art of record, alone or in combination.

Art Unit: 2831

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Other prior art cited

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Shaffer, Bally, Seakins, Song, Kerscher and Marszalek disclose a connector similar to applicant's claimed invention.

Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DHIRU R. PATEL whose telephone number is 571-272-1983. The examiner can normally be reached on M-TH, 6:30 TO 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on 571-272-1984. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2831

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


DHIRU R PATEL
Primary Examiner
Art Unit 2831
8/25/07
